#### **INSPECTION REPORT**





**Report No/** Rapor No: 2024120872

Applicant/Deney Sahibi: BATI KİPAŞ KAĞIT

Söke OSB Mah. 6. Sok. Batı Kipaş Kağıt Blok No:2

Contact Person / Yetkili : Talip GENÇER

Contact Telephone / Telefon: -

Sample Accepted on / Numune Tarihi:15.05.2024Report Date / Rapor Tarihi:12.08.2024Total number of pages/Rapor Sayfa:3 (Pg)

Sample ID: KIPAS TRIPLEX BOARD (KTB)

|   | TEST/ INSPECTION   | Directive  | METHOD   | RESULT |
|---|--|--|----------|--------|
| * | Packaging — Requirements for packaging recoverable by material recycling | The General Product Safety Directive (GPSD) (2001/95/EC) | EN 13430 | 96%    |

NOTE: This test/inspection result replaces the conformity assessment, can be presented to official institutions, and used in products and brochures.

K.rvefi

A BALOGUES OF THE STREET OF TH

Seal

Customer Representative

Laboratory Manager

Merve Nur KIRVELİ Merve ÖZLÜ

Test/inspection results, methods and other information about the sample shown in the relevant pages of this Report are based on the information specified in accordance with "Test/inspection Request Form (PR03-F01) conveyed to us from the Applicant. Test/inspection results are valid for the sample as identified above. Sample may not represent the lot which it belongs. This Report does not replace a Product Certificate. Full report or any part of it may not be reproduced or used for any other purpose without the written permission of EUROLAB Laboratory. Sampling has not been done by us. Unsigned and unsealed Reports are invalid. Analysis as indicated with "\*\*" are in the Scope of our Accreditation Certificate issued from UAF according to TS EN ISO/IEC 17020, 17025, Analysis as indicated with "\*\*" are performed at the external laboratories using accredited test/inspection methods according to EN ISO/IEC 17020, 17025, Form UAF. Possible extra notes may add with starting N° to related pages. Tested and remaining samples will be keep in specified terms & conditions at test/inspection request and/or proposal form.Physically, chemically and incrobiologically decomposed samples are discarded regardless of the storage period. Applicant can not claim any right in this regard. Results are shown in this Report do not include Measurement Uncertainty values were subsequent uncertainty values are not taken in consideration during Pass/Fail assessment the of test/inspection results shown in this Report. Evaluation of the test/inspection results using Measurement Uncertainty values is the responsibility of the Applicant. An inspection proposed and inspection report containing the inspection results, and when both the inspection certificate and inspection report are traceable to each other.

PR33-F01/08.10.2015/Rev:17.01.2017-R01

Page 1 / 3



#### Scope

This document specifies the requirements for packaging to be classified as recoverable in the form of material recycling whilst accommodating the continuing development of both packaging and recovery technologies and sets out procedures for assessment of conformity with those requirements.

## Requirements

| Application   | The application of this document to any particular packaging shall be as specified in EN 13427.   |  |
|---|---|--|
| Packaging<br>Assessment   | The supplier shall be able to demonstrate that the procedures defined in normative Annexes A and B have been followed in arriving at the final design of the finished packaging such that a certain percentage of the packaging materials can be claimed to be recyclable.  |  |
| Declaration Of<br>Percentage<br>Recyclable                          | Packaging may use more than one material whose relative proportions may vary from small components and constituents, typically represented by labels and closures, to larger proportions in multi-material packaging.  The supplier shall declare the percentage by weight of the functional unit of packaging available for recycling, identifying the intended material recycling stream(s), reference EN 13437. A format for this declaration is given in Annex C. |  |
| Conformity of the packaging with this document (material recycling) | The supplier shall prepare a written statement of compliance with the requirements stated in 4.2 and 4.3.   |  |
| Support<br>Documentation  | The assessment shall be documented and examples of the structure of such documentation are given in Annex C.  |  |





### **Test Result**

| Recycling Criteria and Evaluation                    |  |      |  |  |  |  |  |
|--|--|------|--|--|--|--|--|
| Criteria   | Description  |      |  |  |  |  |  |
| Control of Packaging<br>Structure and Process (A2)   | The design includes aspects important for recycling.                                   | PASS |  |  |  |  |  |
| Compliance with Current<br>Recycling Technology (A3) | It is compatible with known recycling technologies.                                    |      |  |  |  |  |  |
| Releases to the Environment (A4)                     | Potential environmental releases were taken into account during the recycling process. | PASS |  |  |  |  |  |

| Declaration of Percent Recyclability (C2) |                   |                      |        |  |  |
|---|-------------------|----------------------|--------|--|--|
| Sampe                                     | Weight Percentage | Recycling Percentage | Result |  |  |
| KIPAS TRIPLEX BOARD (KTB)                 | 96%               | 96%                  | PASS   |  |  |

# Sample Image



\*\*\*End Of Report\*\*\*

